OCR AS Computer Sci	ence H046 -	02 Algorithms and Programming
Name:		Group: Mark: /70
Answer all question	S.	1 hour 15 minutes
Environment).		y the term <i>IDE (Integrated Development</i>
		[2]
	cribe three	features commonly found in an IDE that will
1		
2		
_		
3		
[6		
	-	
,		
		i is set up to hold a small queue. Assume that d all necessary additions to the queue.
Queue		
Re	ear	Front
The table below the	we variable	s that are used to maintain the succes
Variable	ws variables Type	s that are used to maintain the queue: Purpose
front	integer	pointer to the front element of the queue
rear	integer	pointer to the rear element of the queue
Queue full	Boolean	indicates whether the queue is full

the maximum size of the queue

max

integer

procedure add_t if ((front queue else	t — rear) +1) == m e_full=true		tem to the queue.
queue endif	t=front + 1 e[front]=item		
	arameter that is pass	·	
	logical decision that i		
			[2]
_	thm contains a logic	·	
	lgorithm to correct th		
	[2]		

3 (a) Describe one difference between a global and a local variable.
[2]
(b) Explain, using one example, why global variables are sometimes used in a program.
[3]
(c) Explain why good programming practice generally avoids the use of global variables.
[2]
(d) Explain why parameter passing to a function can be a better alternative to using global variables.

OCR AS Computer Science H046 - 02 Algorithms and Programming
[2]
4 Nobugs is a software development company that produces enterprise-wide management software for large companies. Its software products are built up from many program functions. The managers of Nobugs enforce standard rules on their programmers about how program functions should be written. The following are some of the rules that they insist upon: no function may be longer than a single page of code variable identifiers must conform to a standard convention each function must have a single entry point variables must not be set up outside the scope of a function hardware-specific code must be avoided embedded documentation must be adequate.
(a) Describe what is meant by a function.
[2]
(b) Compare a program procedure with a function.
[2]
(c) A programmer at Nobugs has written some program code that includes two user defined functions.
<pre>function my_function1(number) return number*number endfunction</pre>
<pre>function my_function2(number) return number*number*number</pre>

OCR AS Computer Science H046 - 02 Algorithms and Programming endfunction

```
number=int(input("Enter a number "))
print(my_function1(number))
print(my_function2(number))
```

(i) Apart from the two functions written by the programmer, identify two other functions used in this piece of program code.
1
2
[2]
(ii) The programmer tests this code with the input value of 3. State the output that would be obtained.
[2]
(d)* Nobugs enforces standard rules about writing functions on its programmers. Discuss the reasons why this might be the case.
[9]

- **5** A car has a feature in its engine management system that is intended to save fuel and emissions produced when the car is waiting at traffic lights or in a traffic jam. The default option is that if the gears are disengaged and the car is not moving, the engine is switched off. There is a display on the dashboard that indicates when the engine has been switched off in this way. However, sometimes it is necessary to keep the engine running even when the car is stationary, in order to provide electric power to charge the battery, run the heater, run the air conditioning system or keep the lights on. This, in turn, is affected by the external and internal temperatures, the settings chosen by the driver and the intensity of light outside.
 - (a) Identify four inputs needed by this feature of the engine management system.
 For each suggest a suitable data type for its storage.
 [8]

Input	Data Type

(b) Identify two outputs from this engine management feature.				
[2]				
(c) Write an algorithm that would produce the results described for this engine management system feature.				

OCK AS Computer Science H046 - 02 Algorithms and Programming
[8]
6 DriveSim Tutor is a 3D driving simulator program designed to allow learner drivers to practice following the Highway Code whilst driving through a virtual town.
The simulator's developers study a real town. They then use abstraction on their findings before designing a virtual town. (a) Explain why it is necessary for the developers to use abstraction.
[2]
(b) As a result of abstraction there will be similarities and differences between the virtual and real town.
(i) State two similarities there might be between the virtual and real town. Explain why these similarities exist.
1
2
[4]
(ii) State two differences between the virtual and real town.
1
2
[2]

OCR AS Computer Science H046 - 02 Algorithms and Programming

(c) A road in the town has a "no overtaking" sign.



escribe how the simulator would check the driver obeys this sign whilst on is road.	
	31